

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((receiv\$3 near2 object) same (receiv \$3 near2 code)) and (business adj object) and (determin\$3 with definition) and (stor\$3 with definition) and (code with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:51
L2	5	((receiv\$3 near2 object) and (receiv\$3 near2 code)) and (business adj object) and (determin\$3 with definition) and (stor\$3 with definition) and (code with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:51
L3	5	((receiv\$3 near2 object) and (receiv\$3 near2 code)) and (business adj object) and ((creat\$3 or generat\$3) near2 definition) and (stor\$3 with definition) and (code with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:53
L4	1	"20020138582".pn. and (object same definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:57
L5	1	"20020138582".pn. and (object same definition same code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:57
L6	1	"20020138582".pn. and (definition same code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:58
L7	1	"20020138582".pn. and ((creat\$3 or generat\$3) near2 (definition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 06:58

L8	1	"20020138582".pn. and ((stor\$3 with object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:00
L9	1	"20020138582".pn. and (object same definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:06
L10	0	"20020138582".pn. and ((processing or executing) same object same definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:08
L11	1	"20020138582".pn. and ((processing or executing) same object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:08
L12	1	"20020138582".pn. and (object with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:09
L13	1	"20020138582".pn. and (object same definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:09
L14	1	"20020138582".pn. and (object same (generat\$3 or creat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:13
L15	1	"20020138582".pn. and (receiv\$3 same definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:16
L16	1	"20020138582".pn. and (send\$3 same definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:16
L17	1	"20020138582".pn. and (subscri\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:32

L18	1	"20020138582".pn. and dynamic\$7 and run \$time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/08 07:37
S30	16	(chen with shyh-kwei). inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/08 16:12
S31	2	(chen with shyh-kwei). inv. and collaboration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 12:47
S32	1	(chen with shyh-kwei). inv. and discover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 12:47
S33	1	(chen with shyh-kwei). inv. and (object with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 12:47
S34	263	(object adj2 definition) with (determin\$3 or discover\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 12:52
S35	4	((object adj2 definition) with (determin\$3 or discover \$3) with receiv\$3) and (business with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 12:51
S36	0	(object adj2 definition) with (determin\$3 or discover\$3) and (business with object) and receiv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 12:52
S37	22	(object adj2 definition) with (determin\$3 or discover\$3) and (business with object) and receiv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 10:14
S38	9	(object same definition same business same adapter same map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:29

S39	492	(collaboration same map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:29
S40	17	((collaboration with code) same map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:44
S41	2	"5913061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:40
S42	0	"5913061".pn. and collaboration and mapping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:40
S43	1	"5913061".pn. and collaborat\$3 and map \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:40
S44	506	((business adj2 object) same map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:44
S45	10	((business adj2 object) same map\$4) same broker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:49
S46	4	((business adj2 object) same collaboration) same broker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:51
S47	2	"20050216282".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/08 16:13
S48	1	(subscription) same adapter same (object adj definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 10:40

S49	0	707/103.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 10:40
S50	1583	707/103R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 10:41
S51	220	707/103Y.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 10:41
S52	71460	(receiv\$3 with object) and ((receiv\$3 with code) same collaborat \$3 or cooperat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:05
S53	949	(receiv\$3 with object) and ((receiv\$3 with code) same (collaborat \$3 or cooperat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:05
S54	342	(receiv\$3 with object) and ((receiv\$3 with code) with (collaborat \$3 or cooperat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:05
S55	10	(receiv\$3 with object) and ((receiv\$3 with code) with (collaborat \$3 or cooperat\$3)) and (discover\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:06
S56	44	(receiv\$3 with object) and (receiv\$3 with code) and (discover\$3 with object) and (business adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:09
S57	7	(receiv\$3 with object) and (receiv\$3 near2 code) and (discover\$3 with object) and (business adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:11

S58	1	(receiv\$3 with object) and (receiv\$3 near2 code) and (reverse with discover\$3 with object) and (business adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:12
S59	1	(receiv\$3 with object) and (reverse with discover\$3 with object) and (business adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:13
S60	2	(reverse with discover \$3 with object) and (business adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:13
S61	47	(reverse with discover \$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:13
S62	1	(reverse with business with discover\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:13
S63	2	((business with discover \$3 with object) same revers\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:15
S64	131	(discover\$3 with object) and (business with object) and (revers \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:17
S65	29	(discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:17
S66	3	(discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:18

S67	1	"7020697".pn. and (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:22
S68	0	"7020697".pn. and (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker and receiv\$3 with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/10 17:22
S69	0	"7020697".pn. and (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker and (receiv\$3 with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 14:50
S70	2	(revers\$3 near2 discovery) and (discov \$5 near2 objects) and (business with objects)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 14:54
S71	15	(discovery with definition) and (discov \$5 near2 objects) and (business with objects)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 14:54
S72	11	(object adj definition) and (object adj discovery adj agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 15:40
S73	0	((creat\$3 or generat \$3) near2 java near2 objects) and (object adj discovery adj agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 15:45
S74	4	((creat\$3 or generat \$3) with java with objects) and (object adj discovery adj agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 15:47

S75	16	(object adj discovery adj agent) and ((object with definition) or (business adj object) or (java adj obejct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 15:50
S76	16	(object adj discovery adj agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 15:54
S77	75	(object adj discovery) and ((object with definition) or (business adj object) or (java adj obejct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 15:54
S78	13636	(data adj integrat\$3 or business adj process adj integrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:28
S79	13636	((data adj integrat\$3) or (business adj process adj integrat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:28
S80	141	((data adj integrat\$3) or (business adj process adj integrat \$3)) and (discover\$3 with (map\$4 or objects))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:29
S81	14	((data adj integrat\$3) or (business adj process adj integrat \$3)) and (discover\$3 with (map\$4 or objects)) and (generat \$3 with object with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:32
S82	4282	(revers\$3 with discover \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:47
S83	189	(revers\$3 with discover \$3) and (discover\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:47

S84	122	(receiv\$3 with business with object) and (determin\$3 with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/11 16:56
S85	213	(receiv\$3 with object with code) and (business with object) and (object with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:10
S86	53	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:11
S87	28	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:23
S88	18	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (application with adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:26
S89	1	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (application with adapter) and (determin\$3 near2 definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:27
S90	1	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 near3 definition) and (application with adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:28

S91	0	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (applicaiton adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:28
S92	0	(receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (applicaiton with adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:28
S93	1	(receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 near3 definition) and (application with adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:29
S94	2	(receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with definition) and (application with adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:29
S95	5	(receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with definition) and adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:31
S96	7	(receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:32

S97	24	(receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:33
S98	1	(receiv\$3 with object with error with code) and (business with object) and (object with definition) and (discover\$3 with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:36
S99	0	(receiv\$3 with business with object with error with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:37
S100	0	(receiv\$3 with business with object with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:37
S101	12720	((receiv\$3 with object) same (receiv\$3 with code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:37
S102	0	((receiv\$3 with object) same (receiv\$3 with code)) and (business adj object])	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:38
S103	188	((receiv\$3 with object) same (receiv\$3 with code)) and (business adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:38
S104	23	((receiv\$3 with object) same (receiv\$3 with code)) and (business adj object) and (determin\$3 with definition) and (stor\$3 with definition) and (code with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:39

6/8/2009 7:47:48 AM

C:\Documents and Settings\jjohnson14\My Documents\EAST\Workspaces\10808429.wsp